



Tongli Packaging

Producer of Plastic Bags



Manufacture Department



用途广泛环保安全

多项适用范围 你值得拥有



肉类保鲜



冰淇淋蛋糕



饮料水果



水产海鲜



医疗用品的运输



物理降温 / 扭伤冷敷

天然无污染冰袋

开启保鲜冷冻新时代

100ml / 200ml / 400ml / 600ml / 1000ml



BH-IP501A



BH-IP200A



BH-IP100A




BH-IP50A



BH-IP51A



爆款-7个规格





Volume	Width	Height
100ml	9cm	13cm
200ml	10cm	15cm
400ml	12cm	19cm
600ml	13cm	23cm
1000ml	15cm	30cm

Materials

PE Film



PA/PE Strengthen Foil



DETAILS

Gel Granules

Water Level Line



Water Filling Hole



Great Bottom Seal



Use Instruction



1 Open water injection seal



2 Fill water from hole



3 Gel reacting with water after some time



4 Frozen in refrigerator for 10-12 hours

Anti-pressure Tests



Packaging



Bag Volume	Bag Weight	Bag/Box	Gross Weight
100ml	4g	3200	14 kg
200ml	6g	2800	18 kg
400ml	9g	2000	19 kg
600ml	12g	1500	19 kg
1000ml	16g	1000	17 kg

Quality Assurance

1

Bag Strength

With water filled, the doypack falls down from 2meters high, for 3 times, it shall never break or leak.

2

Standing Effect

The doypack will stand well on shelf after filled.

3

Print Quality

Our print machine are equipped with in-line inspection, that will remove more than 99% print defects.

4

Work on Filling Machine

We ensure to provide doypacks with caps/spout that will work well on your filling machine.



Quality Packaging Store

<http://www.valuepackaging.cn/store>



China Factory

Anqiu Economic Development
Zone, Weifang, Shandong, China.



+86 536 4731801



+86 536 4731217



office@valuepackaging.cn



Qingdao International Sales

#1010, No.2 Building, Shidai
Center, Zhengyang Middle Road,
Chengyang, Qingdao, China.



Watch Factory Video

PRESENTED BY TONGLI
DIGITAL CONTENT & COPYRIGHT RESERVED